

<b>2024 RIVERBEND MASTER HOA BOARD</b>				
--	--	--	--	--

Name	Email	Phone	Position	Representing
Teri Mattson	tmattson5008@yahoo.com	239-872-4582	President	Riverbend East
Frank Smith	fesras@msn.com	609-820-6060	Vice President	Riverwatch
Mark Lange	bankso@msn.com	612-791-0859	Secretary/Treasurer	Marsh Pointe
Daniel Warnecke			Director	Mariners Cove
Bob Rozumek	bobrozumek48@yahoo.com	978-979-1942	Chairman Architectural Review Committee	Mediterranean Cove
Mark Powell	mark.powell@comcast.net	303-931-7888	Director	The Village at Indian Creek
Fida Kurdy Lopez	fkurdylopez@gmail.com	239-209-0658	Director	The Village
Dennis Allen	dennisallen@md.metrocast.net	301-481-0309	Director	Golf Villas II
No Representative			Director	Yachtsmans Cove
No Representative			Director	Golf Villas I
No Representative			Director	Waterway Cove

Riverbend Website	riverbendhomeowners.org	Web Master- Todd Nadeau	webmaster@riverbendhomeowners.org	239-565-3764
-------------------	-------------------------	-------------------------	-----------------------------------	--------------

<b>RIVERBEND EXECUTIVE COMMITTEE REPRESENTING RIVERBEND EAST</b>				
--	--	--	--	--

NAME	EMAIL	PHONE	POSITION	REPRESENTING
Carol Giepart	cgie1952@gmail.com	708-912-9353	Committee Chair Person	Riverbend East
Teri Mattson	tmattson5008@yahoo.com	239-872-4582	Committee Secretary	Riverbend East
Keith Nix	knix57@gmail.com	239-560-1490	Member of Architectural Review Committee	Riverbend East
Todd Nadeau	tnadeau@actionoutboards.com	239-565-3764	Committee Member	Riverbend East
Open			Committee Member	Riverbend East

<b>MANAGEMENT COMPANY</b>				
---------------------------	--	--	--	--

<b>MANAGEMENT COMPANY</b>	Premier CAM Services 3436 Marinatown Lane, Suite 3 - North Fort Myers, FL 33903 (PO Box 152047 - Cape Coral, FL 33915)	kyle@premierCAMS.net	KYLE 239-560-0606 (Cell) 239-217-6599 (Office)	
	AR/AP - Kristen Hubler	Admin@premierCAMS.net	Kristen 239-340-0740 (Cell) 239-217-6599 (Office)	

EMAIL IS OUR PREFERRED COMMUNICATION, however, please feel free to contact us by phone if an immediate response is required.

				updated 3.19.24